

Curtis EQUIPMENT PRICE GUIDE





Celebrating over 70 years and four generations of family ownership, the Wilbur Curtis Company has been instrumental in helping transform the forgettable "cup of joe" into a truly memorable gourmet beverage. Founded on a simple passion for great coffee, the rise to becoming one of the world's top commercial brewing manufacturers has seen both old-world devotion to family traditions, and an unquenchable thirst for innovation and technology.

THE CURTIS DESIGN APPROACH – We believe in never compromising quality. We design our equipment from our customers' vantage point, maximizing return on investment in our equipment. Cost to maintain and operate our equipment is minimized. We offer features and benefits that other manufacturers simply do not or cannot offer.

- Reliability Through Superior Design
- Superior Construction for Longer Life
- Fewer Components
- Reduced Replacement Parts Inventory
- Easy Diagnostic and Repair

SIMPLICITY IN PROGRAMMING – Curtis has taken the frustration out of programming and customizing coffee brewers. Utilizing on-screen programming and simple words, special codes are eliminated making programming a breeze for the operator.

EASE OF CALIBRATION – Curtis units come pre-loaded with the most popular recipes from the factory. Should they need to be changed; settings can be modified from the Control Board by following simple steps. The brewer guides you through the process.

ENCAPSULATED UNIVERSAL CONTROL MODULES (CONTROL BOARDS) – Curtis offers encapsulated control boards that protect against failures associated with steam, water and impact. In addition, the switches on Curtis control boards are rigorously tested to over 10 million cycles. Our boards are meant to last the life of the brewer.

SCALE RESISTANT WATER LEVEL PROBE – Curtis water level probes feature design and material construction that minimizes scale buildup, allowing it to accurately measure the amount of water in the tank when filling. This is critically important because a probe that is covered in lime and scale can result in the tank overflowing.

PATENTED (SCALE) RESISTANT SPRAYHEAD – Lime and scale buildup impedes the flow rate and spray pattern of water coming out of the spray head, negatively impacting the taste and quality of the coffee. Curtis Advanced Flow Spray head (AFS) has a patented design and material construction that prevents lime and scale buildup, while providing the highest uniformity of extraction.

INSULATED WATER TANKS – Curtis brewers feature Thinsulated® tanks for energy savings and faster recovery. The use of silicone bushings with Ultem tank fittings minimizes lime build-up.

EXTERNALLY MOUNTED TEMPERATURE SENSOR – Curtis temperature sensors are mounted on the exterior of the water tank. External mounting means no water contact and therefore no liming. Scale buildup on the temperature sensor can lead to inaccuracy and fluctuations in water temperature.

ADVANCED HEATING SYSTEM – The solid-state heating system found in Curtis brewers is designed with no moving parts and is designed to surpass the functional life of the brewer.

SIMPLE WATER CONNECTION – The water connection tube found inside Curtis brewers is simple to repair with no tools required. In addition, it serves as a drain hose to empty the tank.

WORRY-FREE ELECTRICAL CONFIGURATION – Converting dual voltage 120V to 220V is simple and requires a single wire change at the brewer's power block. This method prevents potential electrical errors compared to an internal toggle switch that can accidentally be changed.

TABLE OF CONTENTS

For the latest information, please visit us at www.wilburcurtis.com

GENERATION 4	4
COFFEE BREWERS	
Generation 4 Brewers	5
Curtis® Single Cup Brewer	6
Pour-over Brewers	
Café Series	6
Decanter Brewers	
Alpha Series - Automatic	7
Airpot & Thermal Brewers	
Automatic	8
Low Profile	8
ThermoPro™	9
ThermoPro™ 1 Gallon	10
Milano™	10
Satellite Brewers	
Gemini®	11
Gemini® Export	12
Gemini® Servers & Warmers	12
High Volume Urn & Hotel Brewers	
RU™	13
RU™ - Export	14
Mercury™	14
TEA BREWERS	
Tea and Combo Brewers	15
Brewed Tea Serving Dispensers	16
Concentrate Serving Dispensers	16
SPECIALTY DISPENSERS	
G3 Series Cappuccino	17
Café Series Cappuccino	18
Liquid Coffee Dispenser	19
High Volume Soluble Dispenser	19
Oatmeal Dispenser	19
MISC. EQUIPMENT & ACCESSORIES	
Coffee Grinders	20
Syrup Warmers	20
Decanter Warmers	20
Hot Water Dispensers	21
Water Filtration Systems	21
ThermoPro™ Dispensers	22
Airpot Racks	22
Drip Trays	22
Glass Decanters	23
Cleaning Brushes	23
Brew Cones/Baskets/Paper Filters	24
Brew Cone/Filter Guide	25
CURTIS SUPPORT	
Curtis Care® Equipment Support	26
Equipment Warranty	27
Terms of Sale	27
Equipment Images	28-31

Prices are subject to change without notice.




GENERATION FOUR

BREWING TECHNOLOGY AT YOUR FINGERTIPS — The new G4 technology delivers high-tech advancements making the service of hot, fresh, gourmet coffee even easier. Its simple, intuitive, icon-driven interface includes features that simplify brewing operations, provide fast and intuitive training and reduce service calls and costs. All at the tip of your finger.

With a wide selection of features and programming flexibility, Curtis® has taken coffee brewing technology to new heights with the Generation Four Brewing Systems.

FEATURES


- Large, 4.3" touch screen.
- Icon-driven interface streamlines and simplifies operation.
- On-screen instructions provide fast, intuitive training and reduce service calls.
- Real time feedback of the brewing process helps eliminate user error.
- Built-in self diagnostic system alerts operator of system failure and when the machine is in need of preventive maintenance.
- Advanced Scale Warning System advises the condition of tank probe. Alerts operator if excessive lime/scale is present on probe. Patent Pending.
- Energy saving mode is easily customized to specific operator needs and applications.
- Patented G4 digital controller used in multiple Curtis® brewing systems, reducing parts inventory.



READY TO BREW
Individualized buttons for each size/brewing head plus warmer controls.



BREWING
Animated illustration shows brewing in process and time remaining.




SCALE WARNING/ERROR
Patented Advanced Scale Warning System indicates heavy lime condition for preventative maintenance.




MAIN MENU
One button access to key setting screens.



CONTROL SETTINGS 1
Temperature, warmers, quality timer, energy savings, sound settings and more.




CONTROL SETTINGS 2
Display settings, preventive maintenance, brew count, password reset accessibility.




ACCESS CODE
Customizable access code prevents changes from unauthorized users.



MODEL SELECT
G4 module adapts to multiple Curtis® brewing systems, reducing inventory.




SELF DIAGNOSTICS
Continuous monitoring of key functions. Status is clearly identified by color: Green = OK; Red = Condition Exists



RECIPES
One-touch setting of brew recipes for standard coffee types.



FINE TUNING
Pre-infusion, Pulse, Temperature allow operator to fine tune signature flavor.





BREW BY VOLUME
START/STOP buttons set volume levels BREW BY TIME for multiple batches

CURTISG4 BREWERS

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
G4 SINGLE CUP BREWERS				
CGC	 Curtis Gold Cup Single Cup Brewer	34	\$2,190	\$1,990
DUAL VOLTAGE	120/220V 1500/2950W 12.5/13.4A			
CGCFP	 Curtis Gold Cup Single Cup Brewer with Filter Pack Brew Cone	34	\$2,190	\$1,990
DUAL VOLTAGE	120/220V 1500/2950W 12.5/13.4A			
MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE	
G4 THERMOPRO BREWERS				
G4TP2S63A3100	 Single, 12-48 cup (½, 1, 1-½, 2 gal), Batch selectable	48	\$2,520	
DUAL VOLTAGE	120/220V 1800/2800W 15/12.7A 3W+G (no servers)			
G4TP2T10A3100	 Twin, 12-48 cup (½, 1, 1-½, 2 gal), Batch selectable	66	\$3,350	
	220V 5100/7600W 23/34.5A 3W+G (no servers)			
G4 GEMINI® BREWERS WITH INTELLIFRESH				
G4GEMSIF63B1000	 Single IntelliFresh, 12-36 cup (½, 1, 1-½ gal), Batch selectable	51	\$3,560	
DUAL VOLTAGE	120/220V 1800/3300W 15/12.7A 3W+G			
G4GEMTIF10B1000	 Twin IntelliFresh 12-36 cup (½, 1, 1-½ gal), Batch selectable	85	\$4,740	
	220V 5200/7600W 23.6/35.4A 3W+G			
G4 GEMINI® BREWERS				
G4GEMS63A1000	 Single, 12-36 cup (½, 1, 1-½ gal), Batch selectable	50	\$2,340	
DUAL VOLTAGE	120/220V 1800/3300W 15/12.7A 3W+G			
G4GEMT10A1000	 Twin, 12-36 cup (½, 1, 1-½ gal), Batch selectable	81	\$3,370	
	220V 5200/7600W 23.6/35.4A 3W+G			

G4 - GENERATION FOUR FEATURES

Large, 4.3" touch screen ■ Icon-driven interface streamlines operation ■ On-screen instructions provide fast, intuitive training and reduce service calls ■ Real time feedback of the brewing process ■ Built-in self diagnostic system with energy saving mode ■ Advanced Scale Warning System* advises tank probe condition



Equipment Photos - Pages 28 - 31
Note - Images are for reference only



SINGLE CUP BREWERS

curtis® gold cup

STANDARD FEATURES INCLUDE

G4 technology, twin head, single cup brewer delivers a Golden Cup every brew ▪ Accommodates fresh ground coffee and pillow pack ▪ Recipes customizable to coffee roast and cup size ▪ Large 4.3" Touch screen with icon driven interface streamlines and simplifies operation ▪ Optional USB port for recipe loading ▪ Patented anti-drip siphon brew cone

POUROVER BREWERS



c a f é

STANDARD FEATURES INCLUDE

Exceptional value and convenience for great coffee quality ▪ Space saving design ▪ Large volume water tank ▪ Quick recovery high-power heating element ▪ No plumbing required ▪ Steel construction with black powder coating ▪ Non-Metallic brew cone ▪ Airpots/Pourpots/Decanters are NOT included with brewers

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
G4 SINGLE CUP BREWERS				
CGC DUAL VOLTAGE	 Curtis Gold Cup Single Cup Brewer 120/220V 1500/2950W 12.5/13.4A	34	\$2,190	\$1,990
CGCFP DUAL VOLTAGE	 Curtis Gold Cup Single Cup Brewer with Filter Pack Brew Cone 120/220V 1500/2950W 12.5/13.4A	34	\$2,190	\$1,990

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-4	LIST PRICE 5-9	LIST PRICE 10+
CAFE0AP10A000	Airpot brewer, 2.2L 120V 1450W 12.1A 2W+G	29	\$620	\$610	\$600
CAFE0PP10A000	Single, Low Profile Thermal Carafe (64 oz.) 120V 1450W 12.1A 2W+G	24	\$430	\$420	\$410
CAFE1DB10A000	1 Station, 1 Lower Warmer 120V 1550W 12.9A 2W+G	24	\$430	\$420	\$410
CAFE2DB10A000	2 Station, 1 Lower, 1 Upper Warmer 120V 1650W 13.8A 2W+G	25	\$460	\$450	\$440
CAFE3DB10A000	3 Station, 2 Lower, 1 Upper Warmer 120V 1750W 14.6A 2W+G	32	\$500	\$490	\$480
EXPORT					
CAFE0AP30A000	Airpot brewer, 2.2L 240V 2000W 8.3A 2W+G	29	\$660	\$650	\$640
CAFE0PP30A000	Single, Low Profile Thermal Carafe (64 oz.) 240V 2000W 8.3A 2W+G	24	\$480	\$470	\$460
CAFE1DB30A000	1 Station, 1 Lower Warmer 240V 2100W 8.8A 2W+G	24	\$470	\$460	\$450
CAFE2DB30A000	2 Station, 1 Lower, 1 Upper Warmer 240V 2200W 9.2A 2W+G	25	\$510	\$500	\$490
CAFE3DB30A000	3 Station, 2 Lower, 1 Upper Warmer 240V 2300W 9.6A 2W+G	32	\$540	\$530	\$510



Equipment Photos - Pages 28 - 31
Note - Images are for reference only



DECANTER BREWERS

automatic




STANDARD FEATURES INCLUDE

G3 technology precision control for enhanced gourmet flavor extraction every brew • Stainless steel brew cone • Hot water faucet • Stainless steel construction • Unparalleled recovery for back-to-back brewing

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
FRESHTRAC BREWERS				
ALP3GT63A800 DUAL VOLTAGE	FreshTrac System, 3 Station 1 Lower, 2 Upper Warmers 120V/220V 1800/3300W 15/15A 2/3 W+G	31	\$1,400	\$1,340
STANDARD BREWERS				
ALP1GT12A000	1 Station, 1 Lower Warmer 120V 1600W 13A 2W+G	29	\$950	\$900
ALP2GT12A000	2 Station, 1 Lower, 1 Upper Warmer 120V 1700W 14A 2W+G	30	\$970	\$920
ALP3GT12A000	3 Station, 1 Lower, 2 Upper Warmers 120V 1800W 15A 2W+G	31	\$990	\$940
ALP3GT63A000 DUAL VOLTAGE	3 Station, 1 Lower, 2 Upper Warmers 120/220V 1800/3300W 15/15A 2/3W+G	31	\$1,050	\$1,000
ALP3GTR12A000	3 Station, 3 Lower, Right Warmers 120V 1800W 15A 2W+G	37	\$1,080	\$1,030
ALP3GTR63A000 DUAL VOLTAGE	3 Station, 3 Lower, Right Warmers 120/220V 1800/3300W 15/17A 2/3W+G	38	\$1,140	\$1,090
ALP3GTL12A000	3 Station, 3 Lower, Left Warmers 120V 1800W 15A 2W+G	37	\$1,080	\$1,030
ALP3GTL63A000 DUAL VOLTAGE	3 Station, 3 Lower, Left Warmers 120/220V, 1800/3300W 15/17A 2/3W+G	38	\$1,140	\$1,090
ALP5GT12A000	5 Station, 5 Lower Right/Left Warmers 120V 1950W 16.3A 2W+G	44	\$1,330	\$1,270
ALP5GT63A000 DUAL VOLTAGE	5 Station, 5 Lower, Right/Left Warmers 120/220V 1950/3500W 16.3/15.9A 2/3W+G	45	\$1,390	\$1,330
ALP6GT63A000 DUAL VOLTAGE	6 Station Twin, 6 Lower Warmers 120/220V 3600/6600W 30/30A 2/3W+G	72	\$2,270	\$2,170
ALP6GTN63A000 DUAL VOLTAGE	6 Station Twin, 4 Upper, 2 Lower Warmers 120/220V 3600/6600W 30/30A 2/3W+G	60	\$2,270	\$2,170

EXPORT

ALP1GT32A000	1 Station, 1 Lower Warmer 220V 3700W 16.8A 2W+G	29	\$1,050	\$1,000
ALP2GT32A000	2 Station, 1 Lower, 1 Upper Warmer 220V 3900W 17.7A 2W+G	30	\$1,070	\$1,020
ALP3GT32A000	3 Station, 1 Lower, 2 Upper Warmers 220V 3900W 17.7A 2W+G	31	\$1,090	\$1,040



Equipment Photos - Pages 28 - 31
Note - Images are for reference only

Curtis

AIR/POURPOT BREWERS

automatic

STANDARD FEATURES INCLUDE

G3 technology precision control for enhanced gourmet flavor extraction every brew

- Stainless steel brew cone
- Hot water faucet
- Stainless steel construction
- Unparalleled recovery for back-to-back-brewing
- Twin brewers offer two individually tunable sides
- Airpots/Pourpots/Decanters are NOT included with brewers

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
D60GT12A000	Single, Low Profile Thermal Carafe (64oz.) 120V 1500W 12.5A 2W+G	29	\$970	\$920
D60GT63A000 DUAL VOLTAGE	Single, Low Profile Thermal Carafe (64oz.) 120/220V 1675W/3300W 14/15A 2/3W+G	30	\$1,030	\$980
D500GT12A000	Single/Standard, 2.2L to 2.5L Airpots 120V 1675W 14A 2W+G	33	\$990	\$940
D500GT63A000 DUAL VOLTAGE	Single/Standard, 2.2L to 2.5L Airpots 120/220V 1675/3300W 14/15A 2/3W+G	34	\$1,050	\$1,000
D500GTH12A000	Single/Tall, 2.2L to 2.5L Airpots/Gravity 120V 1675W 14A 2W+G	35	\$1,040	\$990
D500GTH63A000 DUAL VOLTAGE	Single/Tall, 2.2L to 2.5L Airpots/Gravity 120/220V 1700/3300W 14/15A 2/3W+G	35	\$1,100	\$1,050
D1000GT12A000	Twin/Standard, 2.2L to 2.5L Airpots 220V 5100W 23A 3W+G	53	\$1,780	\$1,680
D1000GT63A000 DUAL VOLTAGE	Twin/Standard, 2.2L to 2.5L Airpots 120/220V 1800/2800W 15/12.7A 2/3W+G	53	\$1,830	\$1,730
D1000GH13A000	Twin/Tall, 2.2L to 2.5L Airpots/Gravity 220V 5100W 23A 3W+G	59	\$1,850	\$1,750
D1000GH62A000 DUAL VOLTAGE	Twin/Tall, 2.2L to 2.5L Airpots/Gravity, Gourmet BC 120/220V 1800/2800W 14.2/12.7A 2/3W+G	60	\$1,900	\$1,800
EXPORT				
D500GT30A000	Single/Standard, 2.2L to 2.5L Airpots 220V 3550W 16A 2W+G	33	\$1,090	\$1,040
D1000GT30A000	Twin/Standard, 2.2L to 2.5L Airpots 220V 5100W 23A 2W+G	53	\$1,880	\$1,850


LOW PROFILE BREWERS

STANDARD FEATURES INCLUDE

G3 technology precision control for enhanced flavor extraction every brew

- Accommodates Airpots, Pourpots and Gravity servers
- Unparalleled recovery for back-to-back-brewing
- Hot water faucet
- Low profile
- Serves not included with brewers

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
TLP12A	Single Low Profile Airpot/Gravity/Pourpot, SS Finish 120V 1500W 12.5A 2W+G	29	\$1,040	\$990
TLP	Single Low Profile Airpot/Gravity/Pourpot, Blk Texture Finish 120V 1500W 12.5A 2W+G	29	\$1,120	\$1,070
TLP12A19	Single Low Profile 19" Airpot/Gravity/Pourpot, SS Finish 120V 1500W 12.5A 2W+G	29	\$1,010	\$960



Equipment Photos - Pages 28 - 31
Note - Images are for reference only



THERMAL BREWERS





thermopro™

STANDARD FEATURES INCLUDE

Precision control for enhanced gourmet flavor extraction every brew

- Hot water faucet
- Stainless steel construction
- Unparalleled recovery for back-to-back-brewing
- Six pre-set global recipes
- Field selectable for one, two or three batch brewing
- Customizable settings for each brew button
- ThermoPro insulated server(s) included
- Stylized base and metal faucet guard
- Solenoid brew cone locks

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
G4 BREWERS				
G4TP2S63A3100	Single, 12 - 48 cup (½, 1, 1-½, 2 gal), Batch selectable	48	\$2,520	\$2,520
DUAL VOLTAGE	120/220V 1800/2800W 15/12.7A 3W+G (no servers)			
G4TP2T10A3100	Twin, 12 - 48 cup (½, 1, 1-½, 2 gal), Batch selectable	66	\$3,350	\$3,350
	220V 5100/7600W 23/34.5A 3W+G (no servers)			
1.5 GALLON BREWERS				
TP15S10A1100	Single, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable	68	\$2,520	\$2,420
	220V 4300W 19.5A 3W+G (with servers)			
TP15S63A1100	Single, 12,24,36 cup (½, 1, 1-½ gal) Batch selectable	69	\$2,590	\$2,490
DUAL VOLTAGE	120/220V 1800/2800W 15/12.7A 2/3W+G (with servers)			
TP15S10A1500	Single, 12,24,36 cup (½, 1, 1-½ gal) Batch selectable with shelf	68	\$2,670	\$2,570
	220V, 4300W 19.5A 3W+G (with servers)			
TP15S63A1500	Single, 12,24,36 cup (½, 1, 1-½ gal) Batch selectable with shelf	69	\$2,740	\$2,640
DUAL VOLTAGE	120/220V, 1800/2800W 15.0/12.7A 3W+G (with servers)			
TP15T10A1100	Twin, 12,24,36 cup (½, 1, 1-½ gal) Batch selectable	125	\$3,880	\$3,710
	220V 5100/7600W 23/34.5A 3W+G (with servers)			
TP15T10A1159	Twin, 12,24,36 cup (½, 1, 1-½ gal) Batch selectable, High capacity brew cone	110	\$3,872	\$3,702
	220V 5100/7600W 23/34.5A 3W+G (with servers)			
TP15T16A1100	Twin, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable	140	\$4,060	\$3,890
	220V 7600W 20A 3W+G 3PH (with servers)			
TP15T19A1100	Twin, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable	125	\$4,060	\$3,890
	220V 7600W 20A 4W+G 3PH (with servers)			
TP15T10A1500	Twin, 12,24,36 cup (½, 1, 1-½ gal) Batch selectable with shelf	125	\$4,030	\$3,860
	220V, 5100/7600W 23/34.5A 3W+G (with servers)			
TXSG1501S600	1.5 Gallon Insulated Server w/ Stylized Base	15	\$460	\$420
EXPORT				
TP15S30A1100	Single, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable	69	\$2,720	\$2,620
	220V 4300W 19.5A 2W+G (with servers)			
TP15T30A1100	Twin, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable	125	\$4,080	\$3,910
	220V 5100/7600W 23/34.5A 2W+G (with servers)			



Equipment Photos - Pages 28 - 31
Note - Images are for reference only

Curtis

THERMAL BREWERS

thermopro™ one gallon





STANDARD FEATURES INCLUDE
G3 technology precision control for enhanced gourmet flavor extraction every brew
▪ Hot water faucet
▪ Stainless steel construction
▪ Unparalleled recovery for back-to-back-brewing
▪ Six pre-set global recipes
▪ Field selectable for one, two or three batch brewing
▪ Customizable settings for each brew button
▪ ThermoPro insulated server(s) included
▪ Stylized base and metal faucet guard
▪ Solenoid brew cone locks

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
ONE GALLON BREWERS				
TP1S63A1000	Single, 12,24 cup (½, 1 gal) Batch selectable	54	\$2,000	\$1,900
DUAL VOLTAGE	120/220V 1650/2700W 13.7/12.3A 2/3W+G (with servers)			
TP1T10A1000	Twin, 12,24 cup (½, 1 gal) Batch selectable	82	\$2,980	\$2,810
	220V 5100/7600 23/34.5A 3W+G (with servers)			
TP1T19A1000	Twin, 12,24 cup (½, 1 gal) Batch selectable	82	\$3,160	\$2,990
	220V 7600W 20A 4W+G 3PH (with servers)			
TP1ST63A3000	Single Tall, 12,24 cup (½, 1 gal) Batch selectable	48	\$1,540	\$1,440
DUAL VOLTAGE	120/220V 1650/2700W 13.7/12.3A 2/3W+G (no servers)			
TP1TT10A3000	Twin, Tall, 12,24 cup (½, 1 gal) Batch selectable	66	\$2,370	\$2,200
	220V 5100/7600W 23/34.5A 3W+G (no servers)			
ONE GALLON SERVERS & STANDS				
TXSG0101S200	1 gal. insulated server without stand, black sight glass metal faucet guard	11	\$440	\$400
TXSG0101S600	1 gal. insulated server, black sight glass, metal faucet guard	15	\$460	\$420
WS1	Wire Stand	5	\$100	\$100
TSS1A000	Single Stand	5	\$124	\$124
TSS2A000	Twin Stand	10	\$196	\$196

milano™

STANDARD FEATURES INCLUDE
G3 technology precision control for enhanced gourmet flavor extraction every brew
▪ Six pre-set global recipes and customizable settings for signature flavor profiles
▪ High capacity brew cones for maximum flavor extraction
▪ Hot water faucet
▪ Stylish, vacuum-Insulated servers included
▪ Elegant, conical shape

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
TPC15S10A1100	Single, 12, 24, 36 cup (½, 1, 1-½ gal) Batch selectable	53	\$3,060	\$2,960
	220V 4300W 19.5A 3W+G (with servers)			
TPC15S63A1100	Single, 12, 24, 36 cup (½, 1, 1-½ gal) Batch selectable	54	\$3,130	\$3,030
DUAL VOLTAGE	120/220V 1800/2800W 15/12.7A 2/3W+G (with servers)			
TPC15T10A1100	Twin, 12, 24, 36 cup (½, 1, 1-½ gal) Batch selectable	75	\$4,380	\$4,210
	220V 5100/7600W 23/34.5A 3W+G (with servers)			
TLCG1509S000	1.5 Gallon Stylized Server	14	\$460	\$420
EXPORT				
TPC15S30A1100	Single, 12,24,36 cup (½, 1, 1-½ gal) Batch selectable	53	\$3,270	\$3,170
	220V 4100W 18A 2W+G (with servers)			
TPC15T30A1100	Twin, 12,24,36 cup (1/2, 1, 1-1/2 gal) Batch selectable	75	\$4,580	\$4,410
	220V 5100/7600W 23/34.5A 2W+G (with servers)			



Equipment Photos - Pages 28 - 31
Note - Images are for reference only



SATELLITE BREWERS



g e m i n i®

STANDARD FEATURES INCLUDE

Precision control for enhanced gourmet flavor extraction every brew

- Non-metallic brew cone
- Hot water faucet
- Six pre-set global recipes
- Field selectable for 1, 2 or 3-Batch brewing
- Customizable settings for each brew button
- Solenoid brew cone locks

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE
G4 GEMINI® BREWERS WITH INTELLIFRESH			
G4GEMSIF63B1000	Single IntelliFresh, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable DUAL VOLTAGE 120/220V 1800/3300 15/12.7A 3W+G (with satellite servers)	51	\$3,560
G4GEMTIF10B1000	Twin IntelliFresh 12,24,36 cup (½, 1, 1-½ gal), Batch selectable 220V 5200/7600W 23.6/35.4A 3W+G (with satellite servers)	85	\$4,740
G4 GEMINI® BREWERS			
G4GEMS63A1000	Single, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable DUAL VOLTAGE 120/220V 1800/3300 15/12.7A 3W+G (with satellite servers)	50	\$2,340
G4GEMT10A1000	Twin, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable 220V 5200/7600W 23.6/35.4A 3W+G (with satellite servers)	81	\$3,370
GEMINI® G3 SERIES BREWERS WITH INTELLIFRESH			
GEMSIF10B1000	Single, IntelliFresh 12,24,36 cup (½, 1, 1-½ gal), Batch selectable 220V 4300W 19.5 3W+G (with satellite servers)	51	\$3,090
GEMTIF10B1000	Twin, IntelliFresh 12,24,36 cup (½, 1, 1-½ gal) Batch selectable 220V 5142/7642W 23.4/34.7A 3W+G (with satellite servers)	85	\$4,340
GEMINI® G3 SERIES BREWERS			
GEMSS10A1000	Single, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable 220V 4300W 19.5A 3W+G (with satellite servers)	50	\$1,860
GEMSS63A1000	Single, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable DUAL VOLTAGE 120/220V 1800/2800W 15/12.7A 2/3W+G (with satellite servers)	50	\$1,940
GEMTS10A1000	Twin, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable 220V 5200/7600W 23.6/34.5A 3W+G (with satellite servers)	81	\$2,970
GEMTS16A1000	Twin, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable 220V 7800W 20A 3W+G 3PH (with satellite servers)	93	\$3,150
GEMTS19A1000	Twin, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable 220V 7800W 20A 4W+G 3PH (with satellite servers)	81	\$3,150
GEMINI® G3 SERIES BREWERS - NARROW			
GEMTN10A1000	Twin Narrow, 12,24,36 cup (½, 1, 1-½ gal) Batch selectable 220V 5200/7600W 23.6/34.5A 3W+G (with satellite servers)	94	\$3,280
GEMINI® BREWERS			
GEM-120A-10	Single, 12, 24 cup, (½, 1 gal), Analog 120V 1775W 15A 2W+G (with satellite servers)	41	\$1,110
GEM-120A-63	Single, 12, 24 cup, (½, 1 gal) Analog DUAL VOLTAGE 120/220V 1775/2100W 15/10A 2/3W+G (with satellite servers)	41	\$1,180
GEM-12D-10	Twin, 36 cup, (½, 1 or 1-½ gal) ADS Digital 220V 6300W 29A 3W+G (with satellite servers)	79	\$2,420
GEM-12D-16	Twin, 36 cup, (½, 1 or 1-½ gal), 3PH, ADS Digital 220V 6300W 17A 3W+G 3PH (with satellite servers)	91	\$2,600
GEM-12D-19	Twin, 36 cup, (½, 1 or 1-½ gal), 3PH, ADS Digital 220V 6300W 17A 4W+G 3PH (with satellite servers)	91	\$2,600



Equipment Photos - Pages 28 - 31
Note - Images are for reference only

Curtis

SATELLITE BREWERS

g e m i n i[®]

STANDARD FEATURES INCLUDE

Precision control for enhanced gourmet flavor extraction every brew

- Non-metallic brew cone
- Hot water faucet
- Six pre-set global recipes
- Field selectable for 1, 2 or 3-Batch brewing
- Customizable settings for each brew button
- Solenoid brew cone locks

SATELLITES & WARMERS

g e m i n i[®]

STANDARD FEATURES INCLUDE





Stainless steel construction

- Safety locking lid and convenient carrying handles on satellite servers
- IntelliFresh satellites and warmers are NOT interchangeable

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE	EXPORT
GEMSS30A1000	Single, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable 220V 4300W 19.5A 2W+G (with satellite servers)	50	\$2,070	
GEMTS30A1000	Twin, 12,24,36 cup (½, 1, 1-½ gal), Batch selectable 220V 5200/7600W 23.6/34.5A 2W+G (with satellite servers)	81	\$3,170	
GEM-120A-30	Single, 12, 24 cup, (½, 1 gal) 220V 2175W 10A 2W+G (with satellite servers)	41	\$1,210	
GEM-12D-30	Twin, 36 cup, (½, 1 gal), ADS Digital 220V 6300W 29A 2W+G (with satellite servers)	79	\$2,520	

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE
SATELLITES & WARMERS WITH INTELLIFRESH			
GEM3IF	1.5 gal. Satellite Server with IntelliFresh	11	\$600
GEM5IF	IntelliFresh Warmer Stand (9 3/4"H) 120V 71W 0.59A 2W+G	9	\$240
GEM5IFT	Twin IntelliFresh Warmer Stand (11.7" H) 120V 142W 1.18A 2W+G	15	\$360
SATELLITES & WARMERS - NARROW			
GEM-3N	Narrow 1.5 gal Satellite Server	10	\$420
GEM-3-5N	Twin Narrow 1.5 gal Satellite Server & Warmer Stand 120V 200W 1.7A 2W+G	30	\$1,140
GEM-5N	Twin Warmer Stand 120V 200W 1.7A 2W+G	10	\$350
SATELLITES & WARMERS			
GEM-3	1.5 gal. Satellite Server	11	\$280
GEM-3D	1.5 gal. Satellite Server Decaf Faucet	11	\$280
GEM-3-5	1.5 gal. Satellite Server & Warmer Stand 120V 100W 1A 2W+G	19	\$400
GEM-5	Warmer Stand (9 3/4"H) 120V 100W 1A 2W+G	8	\$160

EXPORT			
GEM-5-30	Warmer Stand (9 3/4"H) 220V 100W 45A 2W+G	8	\$196
GEM-3&5-30	1.5 gal. Satellite Server & Warmer Stand 220V 100W 45A 2W+G	19	\$440



Equipment Photos - Pages 28 - 31
Note - Images are for reference only

Curtis

HI-VOLUME BREWERS

ru™ series




STANDARD FEATURES INCLUDE

Stainless steel construction • Low Water Cut-off • Automatic agitator/aerator • Emergency refill • Hot water faucet • Side mounted control panel • RU-225, RU-600 and RU-1000 include half batch option.

FREIGHT PREPAID

Freight prepaid in the continental USA on 2 or more RU Series Coffee Urns shipped to one location. Freight FOB Montebello, CA

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE
RU-150-12	Single, 3 gallon 120/220V 5000W 23A 3W+G	78	\$2,760
RU-150-20	Single, 3 gallon 220V 5250W 13.8A 3W+G 3PH	78	\$2,980
RU-150-35	Single, 3 gallon, Gas 110V NAT GAS 3A 2W+G	78	\$3,870
RU-225-12	Single, 6 gallon 120/220V 7000W 32A 3W+G	85	\$3,950
RU-225-20	Single, 6 gallon 208/220V 7500W 20A 3W+G 3PH	85	\$4,160
RU-225-35	Single, 6 gallon, Gas 110V NAT GAS 3A 2W+G	85	\$4,540
RU-300-12	Twin, 3 gallon 120/220V 6000W 28A 3W+G	95	\$3,380
RU-300-20	Twin, 3 gallon 208/220V 7500W 20A 3W+G 3PH	95	\$3,600
RU-300-35	Twin, 3 gallon, Gas 110V NAT GAS 3A 2W+G	95	\$3,980
RU-600-12	Twin, 6 gallon 120/220V 10000W 45.5A 3W+G	120	\$4,780
RU-600-20	Twin, 6 gallon 220V 10500W 27.6A 3W+G 3PH	120	\$4,900
RU-600-35	Twin, 6 gallon, Gas 110V NAT GAS 3A 2W+G	120	\$5,380
RU-1000-12	Twin, 10 gallon 120/220V, 10000W 45.5A 3W+G	146	\$5,700
RU-1000-20	Twin, 10 gallon 208/220V 10500W 27.6A 3W+G 3PH	146	\$5,910
RU-1000-35	Twin, 10 gallon, Gas 110V NAT GAS 3A 2W+G	146	\$6,300



Equipment Photos - Pages 28 - 31
Note - Images are for reference only



HI-VOLUME BREWERS

ru™ series

STANDARD FEATURES INCLUDE

Stainless steel construction • Low Water Cut-off • Automatic agitator/aerator • Emergency refill • Hot water faucet • Side mounted control panel • RU-225, RU-600 and RU-1000 include half batch option.




MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE	EXPORT
RU-150-62	Single, 3 gallon 208/220V 5000W 23A 2W+G	78	\$3,010	
RU-150-91	Single, 3 gallon 380V 6600W 10A 4W+G 3PH	78	\$3,440	
RU-225-62	Single, 6 gallon 220V 7000W 32A 2W+G	85	\$4,190	
RU-300-63	Twin, 3 gallon 208/220V 10000W 36A 2W+G	99	\$3,630	
RU-300-91	Twin, 3 gallon 380V 12000W 18.25A 4W+G 3PH	98	\$4,630	
RU-600-63	Twin, 6 gallon 208/220V 10000W 36A 2W+G	120	\$5,030	
RU-600-91	Twin, 6 gallon 380V 12000W 18.25A 4W+G 3PH	120	\$5,460	
RU-1000-60	Twin, 10 gallon 208/220V 10000W 45.5A 2W+G	146	\$5,950	
RU-1000-91	Twin, 10 gallon 380V 12000W 18.25A 4W+G 3PH	146	\$6,380	

mercury™

STANDARD FEATURES INCLUDE

G3 technology precision control for enhanced gourmet flavor extraction every brew • Stainless steel construction • Three separate brew batch selections • High output brewing module • 10 Gallon portable serving vessel and cart

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE
MWMGT10000	Wall Mount Brewing Module, 800 cups/hour 208V 15KW 39.4A 3W+G 3PH	60	\$4,230
MCV-10	10 Gallon Coffee Dispensing Vessel 120V 300W 3A 2W+G	55	\$1,750
MCV-10DS	10 Gallon Coffee Dispensing Vessel, Dual Service 120V 300W 3A 2W+G	58	\$1,850
MCVC-1	Coffee Vessel Cart	88	\$1,050



Equipment Photos - Pages 28 - 31
Note - Images are for reference only



TEA/COMBO BREWERS

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
LOW PROFILE TEA BREWERS				
PTT310000	Low Profile Tea Brewer, includes TCO308 dispenser 120V 1650W 13.8A 2W+G	46	\$1,190	\$1,140
STANDARD TEA BREWERS				
TCTS10000	3 to 5 gal., Standard Tea Brewer 120V 1650W 13.8A 2W+G (dispenser not included)	41	\$1,100	\$1,050
TCTS10600	3 to 5 gal., Dual Dilution, Rotating Brew Cone 120V 1650W 13.8A 2W+G (dispenser not included)	41	\$1,160	\$1,110
TALL TEA BREWERS				
TCTT10000	3 to 5 gal., Tall Tea Brewer 120V 1650W 13.8A 2W+G (dispenser not included)	43	\$1,150	\$1,100
SWEET TEA BREWERS				
TCTS10200	3 to 5 gal., Sweet Tea Brewer 120V 1650W 13.8A 2W+G (dispenser not included)	48	\$1,520	\$1,470
LOW PROFILE COMBO BREWERS				
CBP10000	Low Profile Tea/Coffee Brewer, includes TCO308 Dispenser 64oz. - 2.5L Coffee, 3 gal Tea 120V 1650W 13.8A 2W+G	46	\$1,450	\$1,400
STANDARD COMBO BREWERS				
CBS10000	Tea/Coffee Brewer with adjustable shelf 64 oz. to 2.5L Coffee, 3 to 5 gal Tea 120V 1650W 13.8A 2W+G (dispenser not included)	44	\$1,370	\$1,320
HIGH VOLUME COMBO BREWERS				
CBHVS DUAL VOLTAGE	Single, High Volume Tea/Coffee Brewer 120/220V 1800/2800W 15/12.7A (dispenser not included)	47	\$1,650	\$1,600
CBHVT	Twin, High Volume Tea/Coffee Brewer 220V 5100/7600W 23/34.5A 3W+G (dispenser not included)	69	\$2,470	\$2,420





EXPORT

TEA BREWERS

PTT330000	Low Profile Tea Brewer, includes TCO308 dispenser 220V 3600W 16.4A 2W+G	46	\$1,290	\$1,240
TCTS30000	3 to 5 gal., Standard Tea Brewer 220V 3600W 16.4A 2W+G (dispenser not included)	41	\$1,210	\$1,160
TCTT30000	3 to 5 gal., Tall Tea Brewer 220V 3600W 16.4A 2W+G (dispenser not included)	43	\$1,260	\$1,210

COMBO BREWERS

CBS30000	Tea/Coffee Brewer with adjustable shelf 64 oz. to 2.5L Coffee, 3 to 5 gal Tea 220V 3600W 16.4A 2W+G (dispenser not included)	44	\$1,470	\$1,420
----------	--	----	---------	---------



STANDARD FEATURES INCLUDE

TEA BREWERS - G3 technology precision control provides fast-brew and pulse-brew capabilities for enhanced flavor extraction • High volume, non-metallic brew cone • Stainless steel construction • Ultra-precise dual inlet valve and water level sensor • Three pre-set recipes • 3-5 gallon capacity

COMBO TEA/COFFEE BREWERS

G3 technology precision control provides fast-brew and pulse-brew capabilities for enhanced flavor extraction • Brew Iced Tea and Coffee from the same brewer • High volume, non-metallic brew cones for tea and coffee • Adjustable shelf accommodates most coffee servers • Lock-out switch for tea servers • Stainless steel construction • Ultra-precise dual inlet valve and water level sensor • 3 pre-set recipes.

Equipment Photos - Pages 28 - 31
Note - Images are for reference only



BREWED TEA DISPENSERS

tea/coffee

STANDARD FEATURES INCLUDE

Stainless steel construction • TCO's feature combo brew-through/solid lid • No liner required • Gently sloping bottom ensures complete dispensing

FREIGHT PREPAID

Freight prepaid in the continental USA on 20 or more TC dispensers shipped to one location. Freight FOB Montebello, CA

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10-49	LIST PRICE 50+
TC-2H	2 Gallon, Round	8	\$126	\$120	\$116
TC-3H	3 Gallon, Round	9	\$130	\$124	\$120
TC-3HS	3 Gallon, Round (Short)	8	\$150	\$144	\$140
TC-5H	5 Gallon, Round	10	\$140	\$134	\$130
TC-5H-S	5 Gallon, Round (Short)	9	\$170	\$164	\$160
TC-10H	10 Gallon, Round	17	\$240	\$240	\$240
TC15S	1.5 Gallon, Stackable	5	\$120	\$114	\$110
TC15RS	Remote Stand, Stackable	4	\$34	\$34	\$34
TC3S	3 Gallon, Stackable	6	\$124	\$118	\$114
TCO417A000	4 Gallon, Oval 17"H	12	\$160	\$154	\$150
TCO419A000	4 Gallon, Oval 19"H	13	\$170	\$164	\$160
TCO421A000	4 Gallon, Oval 21"H	14	\$170	\$164	\$160
TCO308A000	3 Gallon, Oval 9.25"H	8	\$160	\$160	\$160
TCORS000	Remote Stand for TCO308 dispenser	8	\$130	\$130	\$130
TCO308ARS000	3 Gallon Tea Dispenser with Remote Stand	16	\$290	\$290	\$290
TCN	3.5 Gallon, Narrow 22"H	10	\$160	\$160	\$160
TCNK2	Double base kit, 2 TCN dispensers & 1 drip tray	26	\$460	\$460	\$460
TCNK3	Triple base kit, 3 TCN dispensers & 1 drip tray	36	\$620	\$620	\$620
ICED COFFEE DISPENSER					
TCOC421G000	4 Gallon, Oval 21"H	14	\$150	\$144	\$140


CONCENTRATE DISPENSERS

tea/coffee

STANDARD FEATURES INCLUDE

Stainless steel construction • Drip tray, quick disconnect, braided hoses included • Non-Metallic black lid • Rear shut off valve

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
LIQUID TEA DISPENSERS				
TCC1	Single Faucet Oval 24"H	20	\$530	\$480
TCC1N	Single Faucet, Narrow 21"H	21	\$550	\$500
TCC2	Dual Faucet Oval 24"H	21	\$630	\$580
TCC2N	Dual Faucet, Narrow 21"H	22	\$630	\$580
TCC3	Triple Faucet Oval 24"H	22	\$900	\$850
TCC3N	Triple Faucet Narrow 24"H	23	\$900	\$850
LIQUID COFFEE DISPENSERS				
TCC1C	Single Faucet Oval 24"H	20	\$530	\$480
TCC2C	Dual Faucet Oval 24"H	21	\$630	\$580



Equipment Photos - Pages 28 - 31
Note - Images are for reference only



SPECIALTY DISPENSERS

g3 series cappuccino



STANDARD FEATURES INCLUDE

G3 technology precision control. Adjust powder flow in 5% increments and water temp from 80° to 204°F ▪ Repeatable accuracy ▪ European styling with oversized backlit graphic display ▪ High volume powder hoppers and large capacity drip tray ▪ Moisture removal and self cleaning feature

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
G3 SERIES CAPPUCCINO DISPENSERS				
PCGT3	3 Station (one-5 lb. and two-10 lb. Hoppers) 120V 1800W 15A 2W+G	125	\$2,990	\$2,840
PCGT3900	Iced Coffee, 3 Station, (one-5 lb. and two-10 lb. Hoppers) 120V, 1800W 15A 2W+G	125	\$2,990	\$2,840
PCGT3700	3 Station, Pre Set Dispense (one-5 lb. and two-10 lb. Hoppers) 120V 1800W 15A 2W+G	125	\$3,180	\$3,030
PCGT4	4 Station, (two-10 lb. and two-5 lb. Hoppers) 120V, 1800W 15A 2W+G	147	\$3,880	\$3,730
PCGT5	5 Station (two-10 lb. and three-5 lb. Hoppers) 120V 1800W 15A 2W+G	160	\$4,110	\$3,910
PCGT5DV DUAL VOLTAGE	5 Station (two-10 Lb. and three 5 Lb. hoppers) 120/220V 1800/3500W 15/16A 2W/3W+G	160	\$4,180	\$3,980
PCGT5300	5 Station with Garage Door (two-10 lb. and three-5 lb. Hoppers) 120V 1800W 15A 1PH 2W+G	160	\$4,260	\$4,060
PCGT6	6 Station, Inside door display (two-3 lb., three-5 lb. and 1-10 lb Hoppers) 120V 1800W 15A 1PH 2W+G	160	\$4,340	\$4,140
G3 SERIES MULTI-FLAVOR DISPENSERS				
EXPR10	Multi-Flavor, 1 Station (four-2 lb. and one-10 lb. Hoppers) 120V 1800W 15A 2W+G	136	\$3,460	\$3,260

EXPORT

PCGT3E	3 Station (one-5 lb. and two-10 lb. Hoppers) 220V 3700W 17A 2W+G	125	\$3,170	\$3,020
PCGT3E900	Iced Coffee, 3 Station (one-5 lb. and two-10 lb. Hoppers) 220V 3700W 17A 2W+G	125	\$3,170	\$3,020
PCGT4E	4 Station (two-10 lb. and two-5 lb. Hoppers) 220V 3700W 17A 2W+G	147	\$4,090	\$3,940
PCGT5E	5 Station (two-10 lb. and three-5 lb. Hoppers) 220V 3700W 17A 2W+G	160	\$4,370	\$4,170



Equipment Photos - Pages 28 - 31
Note - Images are for reference only






SPECIALTY DISPENSERS

café series cappuccino

STANDARD FEATURES INCLUDE

Digital solid state technology
 • Choose between continuous or portion control dispensing
 • Hot water whipping chamber cleaning system
 • Standard drip tray

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
CAFEPC1CS10000	1 Station, 7 lb. Hopper 120V 1800W 15A 2W+G	58	\$1,460	\$1,360
CAFEPC2CS10000	2 Station, 4 lb. Hoppers 120V 1800W 15A 2W+G	63	\$1,790	\$1,690
CAFEPC3CS10000	3 Station, 4 lb. Hoppers 120V 1800W 15A 2W+G	73	\$2,120	\$2,020
CAFEPC3CS10900	Iced Coffee, 3 Station, 4 lb Hoppers 120V 1800W 15A 2W+G	73	\$2,120	\$2,020
CAFEPC4CS10000	4 Station, 4 lb. Hoppers 120V 1800W 15A 2W+G	84	\$2,460	\$2,360
CAFEPC WITH LIGHT BOX				
CAFEPC1CL10000	1 Station, 7 lb. Hopper 120V 1800W 15A 2W+G	59	\$1,600	\$1,500
CAFEPC2CL10000	2 Station, 4 lb. Hoppers 120V 1800W 15A 2W+G	64	\$1,960	\$1,860
CAFEPC3CL10000	3 Station, 4 lb. Hoppers 120V 1800W 15A 2W+G	76	\$2,330	\$2,230
CAFEPC4CL10000	4 Station, 4 lb. Hoppers 120V 1800W 15A 2W+G	86	\$2,690	\$2,590
EXPORT				
CAFEPC1CS31000	1 Station, 7 lb. Hopper 220V 2200W 10A 2W+G	58	\$1,510	\$1,410
CAFEPC2CS31000	2 Station, 4 lb. Hoppers 220V 2200W 10A 2W+G	63	\$1,900	\$1,800
CAFEPC3CS31000	3 Station, 4 lb. Hoppers 220V 2200W 10A 2W+G	73	\$2,280	\$2,180
CAFEPC4CS31000	4 Station, 4 lb. Hoppers 220V 2200W 10A 2W+G	86	\$2,670	\$2,570
CAFEPC WITH LIGHT BOX				
CAFEPC1CL31000	1 Station, 7 lb. Hopper 220V 2200W 10A 2W+G	59	\$1,650	\$1,550
CAFEPC2CL31000	2 Station, 4 lb. Hoppers 220V 2200W 10A 2W+G	64	\$2,060	\$1,960
CAFEPC3CL31000	3 Station, 4 lb. Hoppers 220V 2200W 10A 2W+G	76	\$2,470	\$2,370
CAFEPC4CL31000	4 Station, 4 lb. Hoppers 220V 2200W 10A 2W+G	86	\$2,900	\$2,800



Equipment Photos - Pages 28 - 31
 Note - Images are for reference only



SPECIALTY DISPENSERS

liquid coffee

STANDARD FEATURES INCLUDE

G3 Technology Precision Control
 ▪ Precise mix ratio/flavor adjustments
 ▪ Dynamic in-rinse cycle ▪ Manual/portion control dispense ▪ Watson Marlow laboratory grade pumps ▪ Thermoelectric technology

high volume soluble coffee dispenser

STANDARD FEATURES INCLUDE

G3 technology precision control for precise gourmet flavor ▪ Mix ratio, flavor profile, manual dispense/portion control options ▪ High volume product hoppers ▪ Extraction fan to reduce product buildup ▪ Water temperature adjustment from 140°F to 204°F ▪ Hot water dispense button

oatmeal dispenser

STANDARD FEATURES INCLUDE

On-Demand Oatmeal ▪ Customized flavor profiles ▪ 3 large product canisters ▪ Adjustable drip tray ▪ Manual/portion control dispense

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
CLC DUAL VOLTAGE	Liquid Coffee Beverage Dispenser 120/240V 1700/6200W 14.2/25.8A	125	\$4,430	\$4,030
CLCA DUAL VOLTAGE	Liquid Coffee Beverage Dispenser - Ambient 120/240V 1700/6200W 14.2/25.8A	117	\$3,300	\$3,000

EXPORT



CLCE	Liquid Coffee Beverage Dispenser 220V 3700W 16.8A 2W+G 1PH	125	\$4,680	\$4,280
------	---	-----	---------	---------

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE
HVSD2 DUAL VOLTAGE	2 Station, High Volume Soluble Coffee Dispenser 120/220V 1250/3600W 10.4/16.4A	70	\$2,020

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
CAFE0AT3	Café Oatmeal 3 Station Dispenser 120V 1800W 15A 2W+G	59	\$1,890	\$1,750

EXPORT

CAFE0AT3E	Café Oatmeal 3 Station Dispenser 220V 2250W 10.22A 2W+G 1PH	59	\$2,040	\$2,040
-----------	--	----	---------	---------



COFFEE GRINDERS

STANDARD FEATURES INCLUDE

Accurate consistent throw and uniform grind ▪ Adjustable grind settings ▪ Automatic operation ▪ Anti-chaff design ▪ Brewer interface on ILGD

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
GSG-3BLK	Single, 3.5 lb. Hopper, Gourmet Black Finish 120V 8A 2W+G 1/2HP	52	\$1,430	\$1,350
SHG-10	Single, 6 lb. Hopper 120V 8A 2W+G 1/2HP	50	\$1,240	\$1,190
SLG-10	Single, 5 lb. Hopper, Low Profile 120V 8A 2W+G 1/2HP	42	\$940	\$890
ILGD-10	Twin. 7.5 lb. Hoppers, Digital Interlock 120V 8A 2W+G 1/2HP	62	\$2,040	\$1,960

EXPORT

GSG-3BLK-31	Single 3 lb. Hopper, Gourmet Black Finish 220V 8A 2W+G 1/2HP	52	\$1,590	\$1,570
SHG-30	Single 6 lb. Hopper 220V 8A 2W+G 1/2HP	50	\$1,390	\$1,370
SLG-30	Single 5 lb. Hopper, Low Profile 220V 6A 2W+G 1/2HP	42	\$1,090	\$1,040
ILGD-31	Twin 7.5 lb. Hoppers, Digital Interlock 220V 4A 2W+G 1/2HP	62	\$2,190	\$2,110

SYRUP WARMERS

STANDARD FEATURES INCLUDE

Low temperature keeps syrup flavorful ▪ Stainless steel construction ▪ Gentle sloping bottom for complete dispensing

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
SW-1	1 Gallon - 120V 30W .25A 2W+G	6	\$250	\$210
SW-2	2 Gallons - 120V 100W .83A 2W+G	10	\$350	\$310

DECANTER WARMERS




STANDARD FEATURES INCLUDE

Stainless steel construction ▪ High-wattage warmer elements ▪ Lighted On/Off switches

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-9	LIST PRICE 10+
AW-1-10	1 Station Warmer 120V 100W 1A 2W+G	2	\$92	\$82
AW-2-10	2 Station Warmer, Low Profile 120V 180W 2A 2W+G	4	\$112	\$102
AW-2S-10	2 Station Warmer, Step-Up 120V 180W 2A 2W+G	8	\$156	\$146
AW-2SR-10	2 Station Warmer, Step-Up w/ receptacle 120V 180W 2A 2W+G	8	\$164	\$154

EXPORT

AW-1-30	1 Station Warmer 220V 100W 1A 2W+G	2	\$132	\$122
AW-2-30	2 Station Warmer, Low Profile 220V 200W 1A 2W+G	4	\$156	\$146
AW-2S-30	2 Station Warmer, Step-Up 220V 200W 1A 2W+G	8	\$196	\$186



Equipment Photos - Pages 28 - 31
Note - Images are for reference only



HOT WATER DISPENSERS

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE
WB5GT63000 DUAL VOLTAGE	5 Gallon, Electric with Aerator 120/220V 1500/5000W 12.5/22.7A 2/3W+G	39	\$1,260
WB-10-12 DUAL VOLTAGE	10 Gallon, Electric with Sight Glass 120/220V 2080/7000W 17.3/31.8A 2/3W+G	35	\$1,960
WB-14-11	14 Gallon, Gas with Sight Glass 115V GAS 3A 2W+G	47	\$3,400
WB-14-12 DUAL VOLTAGE	14 Gallon, Electric with Sight Glass 120/220V 2080/7000W 17.3/31.8A 3W+G	50	\$2,460

EXPORT

WB5GT30000	5 Gallon, Electric with Aerator 220V 5000W 22.7A 2W+G	32	\$1,340
WB-10-60	10 Gallon, Electric with Sight Glass 220V 7000W 32A 3W+G	35	\$2,040
WB-14-60	14 Gallon, Electric 220V 7000W 32A 3W+G	47	\$2,550

STANDARD FEATURES INCLUDE

- Stainless steel construction
- Solid-state automatic refill system
- Unparalleled recovery


WATER FILTRATION SYSTEMS

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE 1-4	LIST PRICE 5+
CSC5AC00	5" Filter/Cartridge Assembly Complete AMBIENT TEMP ONLY	2	\$92	\$74
CSC5CC00	5" Replacement Cartridge	2	\$62	\$50
CSC10AC00	10" Filter/Cartridge Assembly Complete	4	\$140	\$114
CSC10CC00	10" Replacement Cartridge	3	\$96	\$78
CSC10AV00	10" Vend Filter/Cartridge Assembly Complete	4	\$140	\$114
CSC10CV00	10" Vend Replacement Cartridge	3	\$96	\$78
CSC10CF00	10" Fibredyne Replacement Cartridge	3	\$96	\$78
CSC15AC00	15" Filter/Cartridge Assembly Complete	6	\$164	\$138
CSC15CC00	15" Replacement Cartridge	5	\$120	\$102
CSC15CF00	15" Fibredyne Replacement Cartridge	5	\$120	\$102

STANDARD FEATURES INCLUDE

- Patented "Scale Stick" ensures top brewing performance
- Industry recognized taste and odor removal
- Quick disconnect filter head

CSC5AC00 - Ambient temperature only



Equipment Photos - Pages 28 - 31
Note - Images are for reference only



THERMAL DISPENSERS

thermopro™

STANDARD FEATURES INCLUDE

Quality construction with excellent heat retention • Wide selection of servers to handle any dispensing need • Sold by case (6)

MODEL	DESCRIPTION	SHIP WT. (LBS.) PER CASE	LIST PRICE/EA. 6-54	LIST PRICE/EA. 60+
TLXA2201G000	2.2L Airpot, SS exterior, Glass liner, Lever handle	30	\$60	\$44
TLXA2201G000D	2.2L Airpot, SS exterior, Glass liner, Lever handle, Decaf lid	30	\$60	\$44
TLXA2201S000	2.2L Airpot, SS exterior and liner, Lever handle	30	\$68	\$60
TLXA2203G000	2.2L Airpot, Black plastic exterior, Glass liner, Lever handle	30	\$60	\$44
TLXA2203S000	2.2L Airpot, Black plastic exterior, SS liner, Lever handle	30	\$68	\$60
TLXA2204G000	2.2L Airpot, Blue plastic exterior, Glass liner, Lever handle	30	\$60	\$44
TLXA2206G000	2.2L Airpot, Red plastic exterior, Glass liner, Lever handle	30	\$60	\$44
CAP-1	2.2L Airpot, SS exterior, Glass liner, Push button lid	24	\$72	\$64
CAP-1D	2.2L Airpot, SS exterior, Glass liner, Push button decaf lid	24	\$72	\$64
TLXA0101S000	1 gal. Airpot, SS exterior and liner, Lever handle	38	\$84	\$78
TLXA2501S000	2.5L Airpot, SS exterior and liner, Lever handle	32	\$72	\$64
TLXA3001S000	3.0L Airpot, SS exterior and liner, Lever handle	35	\$76	\$70
TLXP1201S000	1.2L Pourpot, SS exterior and liner	14	\$52	\$44
TLXP1201S000D	1.2L Pourpot, SS exterior and liner, Decaf lid	14	\$52	\$44
TLXP1901S000	1.9L Pourpot, SS exterior and liner, Brew thru lid	18	\$60	\$52
TLXP1901S000D	1.9L Pourpot, SS exterior and liner Brew thru decaf lid	18	\$60	\$52
CLXP6401S100	64 oz. Seamless Pourpot, SS exterior and liner, Brew thru lid	18	\$56	\$48

AIRPOT RACKS



STANDARD FEATURES INCLUDE

Heavy-duty solid racks or economical wire racks • Drip trays included • All black finish • Merchandising channel

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE
CAR-2T-BLK	2 Position, Step Up	17	\$124
CAR-2-BLK	2 Position	9	\$96
CAR-3-BLK	3 Position	12	\$116
CAR-4-BLK	4 Position	21	\$188
CAR-6-BLK	6 Position	30	\$244
WR2B0000	2 Position, Wire	10	\$52
WR3B0000	3 Position, Wire	13	\$84
WR4B0000	4 Position, Wire	20	\$110
WR5B0000	5 Position, Wire	23	\$140
WR6B0000	6 Position, Wire	26	\$170

DRIP TRAYS

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE
DTP-08	Drip Tray, 8"	1	\$18
DTP-13	Drip Tray, 13"	2	\$22
DTP-20	Drip Tray, 20"	2	\$34
DT-24	Drip Tray, 24"	4	\$76
DT-28	Drip Tray, 28"	4	\$84
WC-5686	Cup Holder, Octagon	1	\$10



Equipment Photos - Pages 28 - 31
Note - Images are for reference only

Curtis

GLASS DECANTERS

MODEL	DESCRIPTION	CASE COUNT	SHIPPING WT. (LBS.)	LIST PRICE/EA. 24-360	LIST PRICE/EA. 384-552	LIST PRICE/EA. 576-720
FRESHTRAC RECEIVER BOWLS						
70580000303	FreshTrac Receiver Black/White Curtis Logo	3	4	\$40	\$40	\$40
STANDARD DECANTER BOWLS						
70280200403	Orange Handle/Orange Imprint Logo: Decaf only	3	4	\$8.76	\$8.06	\$7.82
70280200406	Orange Handle/Orange Imprint Logo: Decaf only	24	32	\$8.22	\$7.52	\$7.28
70280100303	Black Handle/White Imprint Logo: Use & Care Instructions only	3	4	\$8.76	\$8.06	\$7.84
70280000306	Black Handle/White Imprint Logo: Curtis	24	32	\$8.22	\$7.52	\$7.28
70180100306	Black Handle/White Imprint Logo: Use & Care Instructions only	24	32	\$8.22	\$7.52	\$7.28
70280100203	Brown Handle/White Imprint Logo: Use & Care Instructions only	3	4	\$8.76	\$8.06	\$7.84
70280000206	Brown Handle/White Imprint Logo: Curtis	24	32	\$8.22	\$7.52	\$7.28
70280100206	Brown Handle/White Imprint Logo: Use & Care Instructions only	24	32	\$8.22	\$7.52	\$7.28
CUSTOM BRANDING - 15 CASE MINIMUM						
	Black or Brown handle Logo: Custom	24	26		\$8.44	\$8.22
	Black or Brown handle Logo: Custom	6	8		\$8.26	\$8.02
	Black or Brown handle Logo: Custom	2 or 3	4		\$8.36	\$8.12
	Orange handle Logo: Custom	24	26		\$8.04	\$7.82
	Orange handle Logo: Custom	6	8		\$8.48	\$8.26
	Orange handle Logo: Custom	2 or 3	4		\$8.60	\$8.36
PLASTIC DECANTERS, STAINLESS STEEL BASE						
70480100304	Black Handle/White Imprint Logo: Use & Care Instructions only	6	6	\$17.50	\$17.50	\$17.50
70480100104	Orange Handle/White Imprint Logo: Use & Care Instructions only	6	6	\$17.50	\$17.50	\$17.50

STANDARD FEATURES INCLUDE

Lab quality glass bowls ■ Ergonomic handle design ■ Curtis® standard Logo or custom branding

FREIGHT PREPAID

Freight prepaid in the continental USA on 360 or more glass coffee decanters shipped to one location. Freight FOB Broken Arrow, OK



360 bowls = 15 cases
24 bowls per case

CLEANING BRUSHES

MODEL	DESCRIPTION	CASE COUNT	SHIPPING WT. (LBS.)	LIST PRICE
CAB-1	Clean-a-bowl	144/case	8	\$1.70
JB-1	Java Jug Airpot	144/case	10	\$2.00
WC-3640	Gauge Glass Brush	144/case	1	\$4.00

STANDARD FEATURES INCLUDE

Keeps decanters and airpots sparkling clean ■ Non-scratch sponge fingers ■ Long reach handles



Equipment Photos - Pages 28 - 31
Note - Images are for reference only



BREW CONES BASKETS & PAPER FILTERS

MODEL	DESCRIPTION	SHIPPING WT. (LBS.)	LIST PRICE
DECANTER BREWERS, AIRPOT BREWERS & GEM120A			
WC-3621-101	Universal Black, Non-Metallic	1	\$13.50
WC-3316	Standard SS, with wire basket	2	\$61
WC-3323	Standard SS brew cone only	2	\$47.50
WC-3317	Wire basket only	1	\$31
CR-10	Filter only - Universal Brew Cone - Case of 1000	4	\$20
AIRPOT BREWERS & GEM120A			
WC-3338	Deluxe high capacity SS with wire basket	2	\$81.50
WC-3313	Deluxe high capacity brew cone only	2	\$66
WC-3314	Wire basket only	1	\$33
GEM-6	Filter only - Case of 500	4	\$22
GEMINI, THERMOPRO, MILANO TWINS & SINGLES			
WC-3357	Standard SS with wire basket	2	\$81.50
WC-3311	Standard SS brew cone only	2	\$66
WC-3301	Wire basket only	1	\$33
WC-3352	Gourmet high capacity SS brew cone only	2	\$82.50
WC-3353	Wire basket only	1	\$38
WC-37308	Gemini Black, Non-Metallic, Coffee Logo	1	\$41
GEM-6	Filter only - Case of 500	4	\$22
WC-37259	Gourmet High Capacity, Non-Metallic Black, Coffee Logo	1	\$57.50
GEM-6-101	Filter Only - Case of 500	5	\$34
PTT, TCT AND COMBO BREWERS			
WC-3398	Standard Black, non-metallic, Tea Logo with splash guard	2	\$50
WC-3358	Standard SS with wire basket	2	\$102
WC-3320	Standard SS brew cone only	2	\$66
WC-3301	Wire basket only	1	\$33
WC-37256	Gourmet High Capacity, Non-Metallic Black, Tea Logo	3	\$62
GEM-6-101	Filter Only - Case of 500	5	\$34
WC-37308	Gemini Black, Non-Metallic, Coffee Logo	1	\$41
GEM-6	Filter only - Case of 500	4	\$22
URNS			
WC-3302	Wire basket only RU-150/300	4	\$67
UP-3	Filter only - RU-150/300 - Case of 500	11	\$72
WC-3303	Wire basket only RU-225/600	5	\$92.50
UP-6	Filter only - RU-225/600 - Case of 500	13	\$92
WC-3304	Wire basket only RU-1000	5	\$96
UP-10	Filter only - RU-1000 - Case of 500	15	\$118

See page 25 for recommended filters



Equipment Photos - Pages 28 - 31
Note - Images are for reference only




BREW CONE

RECOMMENDED FILTER




DECANTER/AIRPOT BREWERS & GEM120A





AIRPOT BREWERS & GEM120A



GEMINI, THERMOPRO, MILANO TWINS & SINGLES



PTT, TCT, COMBO BREWERS



Curtis can continue to provide support after your equipment purchase. Our Curtis Care® Program ensures a trouble-free operation throughout the life of your equipment. Utilizing a national service network, we can complete your equipment installation, provide emergency service, and conduct preventive maintenance. We do this through our network of Curtis Trained and Certified Independent Service Technicians. Should you be interested in Curtis Care®, a customized program can be developed to suit your needs.

CURTIS CARE®

INSTALLATION

Factory trained technicians deliver and professionally install your new Curtis equipment. All parts necessary for installation* as well as on-site training of personnel is included with our Curtis Care® Installation Service. Available for our valued customers with open account or approved credit card.

MODEL	PRIMARY UNIT	ADDITIONAL UNIT	MODEL	PRIMARY UNIT	ADDITIONAL UNIT
Pourover	\$140	\$60	Tea/Combo Brewer	\$205	\$120
Grinder	\$170	\$75	Gemini	\$260	\$175
Alpha/TLP	\$190	\$100	ThermoPro	\$260	\$175
Airpot Brewer	\$190	\$100	Cappuccino	\$235	\$155
Hot Water Dispenser	\$190	\$125	CLC	\$285	\$210
Tea Concentrate	\$190	\$100	Urn	\$285	\$210

Unit removal w/ installation	\$60 Primary Unit	\$35 Additional Unit
Curtis Care® Site Survey	\$150	
After-hours installation	Add 50% of install cost	

Water filtration device installed free of charge at time of Curtis equipment instal. (Filter cost not included). *Plug and cord not included with installation on 220V or dual voltage units.

NOTES - Standard rates are for installations performed during normal business hours* (Mon.-Fri., 8:00 AM - 5:00 PM local time). For installation of multiple units at the same site, add the price of the largest unit (primary) and the price of each additional unit. Special rates are available for multiple site rollouts. Includes travel up to 60 miles round trip from the nearest Curtis authorized service center. Delays, (improper electrical or power source) waiting time or operating restrictions that hinder the Service Agent's ability to perform the installation will incur additional charges. Services that are performed beyond the standard installation scope of work will be billable at a rate of \$85.00 per hour during normal business hours (8:00 AM to 5:00 PM local time zone), plus associated parts. After-hours rate is billable at \$127.50 per hour. Above prices are on a per service call basis. Standard on-site response time is 24 hours, next business day. Dedicated 800 number provided for easy Curtis Care Service. Service is provided 24/7 - 365 days a year. For corporate accounts - automated e-mails are generated advising status of service calls. Rate includes installation and travel expense* associated with installation at end-user location during normal business hours. *(Normal business hours defined as: Monday - Friday [excluding holidays], 8:00 AM to 5:00 PM local time of the installation location.)

CURTIS CARE®

URGENT SERVICES

Straightforward maintenance service. Billed at actual time & material rates plus \$45 Management fee.

- On-site response time by a trained Curtis Care® technician within 24 hours, next business day.
- Curtis Care dedicated 800 number for easy service.
- Conditions are often corrected right over the phone . . . At no cost!
- Service program available 365 days a year, day or night.
- Optional e-mail updates, providing real-time status on service call.

CURTIS CARE®

PREVENTIVE MAINTENANCE

Preventive maintenance performed by factory trained technician ensures trouble-free equipment operation. Pre-established inspection and/or replacement of key components based on your usage pattern. Includes: inspections, adjustments and upgrades. Available for new and previously installed equipment.

EQUIPMENT TYPE	PRIMARY UNIT	ADD. UNIT	TERM
SPECIALTY DISPENSER	\$205/trip	\$140/trip	3/year
BREWER	\$205/trip	\$140/trip	2/year
GRINDER	\$205/trip	\$140/trip	2/year

CURTIS CARE®

ASSET MANAGEMENT

A simple, stress-free method of monitoring your assets, track any or all of the following services:

**INSTALLATION
REMOVAL OF UNITS
URGENT SERVICE
PREVENTIVE MAINTENANCE**

To include Asset Management on your order, choose from two easy options

- Option 1** Provide us with current information:
- Site Name & Address
 - Contact Name & Phone Number
 - Item No. of Unit
 - Serial Number

- Option 2** Request a site survey - additional fees apply

SERVICE	PRIMARY UNIT	ADD. UNIT
INITIAL CONTRACT FEE	\$140	\$75
ASSET TRACKING REPORTS	\$75	

Reports include:

- Site Name
- Site Address
- Service Date
- Service Agent Contact Info.
- Unit Type
- Unit Serial Number
- E-mail updates, real-time status on service call

Reports provided monthly, quarterly or yearly. Also available on project roll-outs.

WARRANTY

The Wilbur Curtis Co., certifies that its products are free from defects in material and workmanship under normal use. The following limited warranties and conditions apply:

- 3 YEARS** Parts and Labor, from original date of purchase on digital control boards.
- 2 YEARS** Parts, from original date of purchase on all other electrical components, fittings & tubing.
- 1 YEAR** Labor, from original date of purchase on all electrical components, fittings & tubing.

Additionally, the Wilbur Curtis Co., warrants it's Grinding Burrs for Forty (40) months from date of purchase or 40,000 pounds of coffee, whichever comes first. Stainless Steel components are warranted for two (2) years from date of purchase against leaking or pitting and replacement parts are warranted for ninety (90) days from date of purchase or for the remainder of the limited warranty period of the equipment in which the component is installed. Additional conditions may apply. **All in-warranty service calls must have prior authorization. Call Technical Support at 1-800-995-0417 for authorization.**

CONDITIONS & EXCEPTIONS

The warranty covers original equipment at time of purchase only. The Wilbur Curtis Co., assumes no responsibility for substitute replacement parts installed on Curtis equipment that have not been purchased from the Wilbur Curtis Company, Inc. The Wilbur Curtis Company will not accept any responsibility if the following conditions are not met. The warranty does not cover and is void under the following circumstances:

- 1 **Improper operation of equipment** – The equipment must be used for its designed and intended purpose and function.
- 2 **Improper installation of equipment** – This equipment must be installed by a professional technician and must comply with all local electrical, mechanical and plumbing codes.
- 3 **Improper voltage** – Equipment must be installed at the voltage stated on the serial plate supplied with this equipment.
- 4 **Improper water supply** – This includes, but is not limited to, excessive or low water pressure, and inadequate or fluctuating water flow rate.
- 5 **Adjustments and cleaning** – The resetting of safety thermostats and circuit breakers, programming and temperature adjustments are the responsibility of the equipment owner. The owner is responsible for proper cleaning and regular maintenance of this equipment.
- 6 **Damaged in transit** – Equipment damaged in transit is the responsibility of the freight company and a claim should be made with the carrier.
- 7 **Abuse or neglect (including failure to periodically clean or remove lime accumulations)** – Manufacturer is not responsible for variation in equipment operation or component failure due to excessive lime or local water conditions. The equipment must be maintained according to the manufacturer's recommendations.
- 8 **Replacement of items subject to normal use and wear** – This shall include, but is not limited to, light bulbs, shear disks, "O" rings, gaskets, silicone tube, canister assemblies, whipper chambers and plates, mixing bowls, agitation assemblies and whipper propellers.
- 9 **Repairs and/or Replacements** – Subject to Curtis' decision that workmanship or parts were faulty and defects appeared under normal use. All labor shall be performed during regular working hours. Overtime charges are the responsibility of the equipment owner. Charges incurred by delays, waiting time, or operating restrictions that hinder the service technician's ability to perform service is the responsibility of the owner of the equipment. This includes institutional and correctional facilities. The Wilbur Curtis Co., will allow up to 100 miles, round trip, per in-warranty service call.
- 10 **Return Merchandise Authorization** – All claims under this warranty must be submitted to the Wilbur Curtis Co., Technical Support Department prior to performing any repair work or the return of this equipment to the factory. All returned equipment must be re-packaged properly in the original carton and received by Curtis within 45 days following the issuance of an RMA. No units will be accepted if they are damaged in transit due to improper packaging. **NO UNITS OR PARTS WILL BE ACCEPTED WITHOUT A RETURN MERCHANDISE AUTHORIZATION (RMA). RMA NUMBER MUST BE MARKED ON THE CARTON OR SHIPPING LABEL.** All in-warranty service calls must be performed by an authorized service agent. Call the Wilbur Curtis Technical Support Department to find an agent near you.

TERMS OF SALE

Approval – Orders subject to approval from Montebello, CA office at prices, terms and specifications prevailing at time of shipment.

Loss or Damage – If merchandise is lost or damaged in transit, purchaser must make claim directly with carrier. Concealed damage or shortage: Merchandise must be unpacked and inspected within 10 days of receipt. Any shortage or damage should be reported to transportation company immediately.

Returns – Any merchandise returned for credit or exchange must have an RMA # (Return Merchandise Authorization number) from our factory (800) 995-0417. All returns must be returned prepaid. Merchandise is subject to a handling charge. All cartons to be marked with RMA number. Equipment should be properly packed in their original cartons. Equipment damaged in transit will not be accepted. All returns are subject to a 20% restocking fee.

Terms – 1%-15 days, net 30 days. Past due accounts are subject to late charge of 1.5% per month on the unpaid balance.

Minimum Billing – \$25.00, on approved credit

Freight Policy – Freight F.O.B. Montebello, California

For Customer Service - Toll Free 800-421-6150 • 323-837-2300 • Fax 323-837-2406

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

Equipment Photos - Pages 28 - 31
Note - Images are for reference only



EQUIPMENT

SINGLE CUP BREWER - cgc
page 5 & 6



CGC

POUROVER BREWERS - café
page 6



CAFE0PP10A000



CAFE0AP10A000



CAFE1DB10A000



CAFE3DB10A000

DECANTER BREWERS - automatic
page 7



ALP1GT12A000



ALP3GT12A000



ALP3GT63A800



ALP3GTR12A000



ALP5GT12A000



ALP6GTN63A000

AIRPOT/POURPOT BREWERS
page 8



D60GT12A000



D500GT12A000



D1000GT12A000



TLP

THERMAL BREWERS - thermopro™
page 9



G4TP2T10A3100



TP15S10A1100



TP15T10A1100



TXSG1501S600

THERMAL BREWERS
thermopro™ 1 gal.
Milano™
page 10



TP1T10A1000



TXSG0101S600



TPC15S10A1100



TPC15T63A1100



TLCG1509S000

SATELLITE BREWERS - gemini®
page 11



G4GEMTIF10B1000



G4GEMT10A1000



GEMSIF10B1000



GEMTIF10B1000



GEMSS10A1000



GEMTS10A1000

Note - Images are for reference only



EQUIPMENT

SATELLITE BREWERS - gemini®
page 11 & 12



**SATELLITE SERVERS
& WARMERS - gemini®**
page 12




URN BREWERS - ru™
page 13 & 14



TEA & COMBO BREWERS
page 15




TEA/COFFEE DISPENSERS
page 16



Note - Images are for reference only

EQUIPMENT

SPECIALTY DISPENSERS cappuccino page 17



SPECIALTY DISPENSERS cappuccino page 18




SPECIALTY DISPENSERS liquid coffee & oatmeal page 19



COFFEE GRINDERS page 20



MISC. EQUIPMENT & ACCESSORIES page 20



MISC. EQUIPMENT & ACCESSORIES page 21



Note - Images are for reference only



THERMAL DISPENSERS page 22



AIRPOT RACKS page 22



DRIP TRAYS page 22




GLASS DECANTERS page 23




CLEANING BRUSHES page 23



BREW CONES & BASKETS page 24



Note - Images are for reference only



REPRESENTATIVE LOCATOR

For the local representative in your area log on to www.wilburcurtis.com

CUSTOMER SERVICE

Toll Free: 800-421-6150
Phone: 323-837-2300
Fax: 323-837-2406
csrassistance@wilburcurtis.com

TECH SUPPORT

Toll Free: 800.995.0417
Fax: 323.837.2405
techservice@wilburcurtis.com

WILBUR CURTIS COMPANY

6913 Acco Street
Montebello, CA 90640
Phone: 323-837-2300
www.wilburcurtis.com



WESTERN REGION

SCOTT GRIMES

VP Sales, Western Region

2422 Decker Lane
Livermore, CA 94550
P: 925.683.2376
F: 323.832.1121
sgrimes@wilburcurtis.com

ALASKA & HAWAII

STEVE BRADLEY

Corporate VP of Sales

518 Braemar Avenue
Naperville, IL 60563
P: 630.778.7886
F: 630.778.7896
sbradley@wilburcurtis.com

CENTRAL REGION

DAN SCHNEIDER

VP Sales, Central Region

8511 Prairie Field Drive
Union, IL 60180
P: 815.923.2438
F: 815.923.2528
dschneider@wilburcurtis.com

NATIONAL ACCOUNTS

FRANK McCARTER

VP Sales, National Accounts

209 Penicillin Point
Troutman, NC 28166
P: 704.528.0219
F: 323.832.1107
fmccarter@wilburcurtis.com

EASTERN REGION

RON CONTAXIS

VP Sales, Eastern Region

4 Hutchins Lane
Randolph, NJ 07869
P: 862.251.4939
F: 323.832.1120
rcontaxis@wilburcurtis.com

INTERNATIONAL

MICHAEL CONNER

Director of International Sales

6913 Acco Street
Montebello, CA 90640
P: 323.837.2341
F: 323.837.1115
mconner@wilburcurtis.com